

type number	for width of cable tray (mm)	A (mm)	B (mm)	H (mm)	thickness of metal sheet (mm)	weight (kg/pc)	🔥
NVSO 90x62_S	62	62	203	12	0,55	0,12	🔥
NVSO 90x62_F					0,6	0,15	🔥
NVSO 90x125_S	125	125	203	12	0,55	0,20	🔥
NVSO 90x125_F					0,8	0,35	🔥
NVSO 90x250_S	250	250	203	12	0,55	0,30	🔥
NVSO 90x250_F					0,8	0,51	🔥
NVSO 90x500_S	500	500	203	15	0,70	0,93	🔥
NVSO 90x500_F					0,8	1,26	🔥



product description: This cover is used to cover the rising elbow NSO.
 To fix the cover use 4 pcs of cover fixtures VU or NUV.
 The covers are supplied straight. They are constructed from a single piece of sheet metal with pre-cut sidewalls for subsequent bending during installation.
 These items can also be ordered in a varnished version.

surface finish: S - Pre-Galvanized according to EN 10346, EN 10143, zinc-layer 15-27 µm
 F - Hot Dip Galvanized according to ČSN EN ISO 1461, zinc-layer 45 µm (min. 35 µm)

sales amount: 1 pc

meets the requirements: ČSN EN 61537:02

classification 🔥: ČSN 73 0895P 90-R
 DIN 4102-12E 90
 STN 92 0205PS 90
 Fire classification depends on the specific conditions of the cable tray, detailed in the catalog Systems with maintained functionality in fire
 🔥 products are approved for non-standard constructions

storage: ČSN EN 60721-3-1

